

***Phytoseiulus persimilis* literature**

- Allawi, T.F. (1991) The Phytoseiidae of Jordan. *Bollettino della Societa Entomologica Italiana*, 123: 91–96.
- Amitai, S. and Swirski, E. (1978) A new genus and new records of phytoseiid mites (Mesostigmata: Phytoseiidae) from Israel. *Israel Journal of Entomology*, 12: 123–143.
- Aponte, O. and McMurtry, J.A. (1993) Phytoseiid mites of Venezuela (Acari: Phytoseiidae). *International Journal of Acarology*, 19: 149–157.
- Athias-Henriot, C. (1957) Phytoseiidae et Aceosejidae (Acarina, Gamasina) d'Algérie. I. Genres Blattisocius Keegan, Iphiseius Berlese, Amblyseius Berlese, Phytoseius Ribaga, Phytoseiulus Evans. *Bulletin de la Société d'Histoire Naturelle de l'Afrique du Nord*, 48: 319–352.
- Athias-Henriot, C. (1959) Acariens planicoles d'Algérie. I. 5e contribution au genre Amblyseius Berlese (Phytoseiidae). II. Première liste d'Actinochitinosi (Cheyletidae, Caligonellidae, Hemisarcopidae). *Bulletin de l'Académie Royale de Belgique, Sciences*, (Ser 5), 5: 45–130.
- Athias-Henriot, C. (1960) Nouveaux Amblyseius d'Algérie (Parasitiformes, Phytoseiidae). *Acarologia*, 2: 288–299.
- Barbar, Z. (2013) Survey of phytoseiid mite species (Acari: Phytoseiidae) in citrus orchards in Lattakia Governorate, Syria. *Acarologia*, 53: 247–261.
- Barbar, Z. (2014) Occurrence, population dynamics and winter phenology of spidermites and their phytoseiid predators in a citrus orchard in Syria. *Acarologia*, 54: 409–423.
- Barbar, Z., Tixier, M.-S., Kreiter, S. and Cheval, B. (2005) Diversity of phytoseiid mites in uncultivated areas adjacent to vineyards: a case study in the south of France. *Acarologia*, 45: 145–154.
- Bozai, J. (1996) Data to the knowledge of predaceous mites of Hungary (Acari: Phytoseiidae, Phytoseiinae). *Novenyvedelem*, 32: 521–525.
- Calvitti, M. and Tsolakis, H. (1992) Acari predatori fitoseidi presenti su alcune colture erbacee nel Lazio. *Redia*, 75: 529–535.
- Cochereau, P. (1976) Contrôle biologique en Nouvelle Caledonie de *Tetranychus urticae* (Acarien: Tetranychidae) au moyen de *Phytoseiulus persimilis* (Acarien, Phytoseiidae), en cultures maraîchères. *Entomophaga*, 21: 151–156.
- Corpuz-Raros, L.A. (1995) Notes on a collection of predatory mites of the family Phytoseiidae (Acari) from Singapore. *Asia Life Sciences*, 4: 83–87.
- El-Banhawy, E.M. (1979) Records on phytoseiid (Acari) mites of Peru. *International Journal of Acarology*, 5: 111–116.
- Escudero, L.A. and Ferragut, F. (1998) Comunidad de ácaros del ecosistema hortícola mediterráneo: composición y distribución geográfica. *Boletín Sanidad Vegetal Plagas*, 24: 749–762.

- Escudero, L.A. and Ferragut, F. (1999) Abundancia y dinâmica estacional de las poblaciones de tetránquidos y fitoseídos en los cultivos hotícolas valencianos (Acari: Tetranychidae, Phytoseiidae). Boletín Sanidad Vegetal Plagas, 25: 347–362.
- Ferragut, F., Costa-Cornelles, J., Gomez-Bernardo, E. and Garcia-Mari, F. (1985) Contribución al conocimiento de los ácaros fitoseídos (Gamasida:Phytoseiidae) en los cultivos españoles. Actas II Congr, Ibérico de Entomología, 2: 223–231.
- Garcia-Mari, F., Gonzalez Zamora, J.E., Orenga Royo, S., Saques Fernandez, J., Laborda Cenjor, R., Soto Sanchez, A. and Ribes Koninckx, A. (1991) Distribución espacial y asociación entre especies de acaros fitofágos (Tetranychidae) y depredadores (Phytoseiidae) en hojas de fresón. Boletín de Sanidad Vegetal – Plagas, 17: 401–415.
- Goodwin, S. and Schicha, E. (1979) Discovery of the predatory mite *Phytoseiulus persimilis* Athias-Henriot (Acarina: Phytoseiidae) in Australia. Journal of the Australian Entomological Society, 18: 304.
- Guanilo, A.D. and Martínez, N. (2007) Predadores asociados a *Panonychus citri* McGregor (Acari: Tetranychidae) en la costa central de Perú. Ecología Aplicada, 6: 117–129.
- Guanilo, A.D., Moraes, G.J.d. and Knapp, M. (2008) Phytoseiid mites (Acari: Phytoseiidae) of the subfamily Amblyseiinae Muma from Peru, with description of four new species. Zootaxa, 1880: 1–47.
- Gutierrez, J. and Etienne, J. (1986) Les Tetranychidae de l'île de la Réunion et quelques-uns de leurs prédateurs. Agronomie Tropicale, 41: 84–91.
- Kreiter, S., Auger, P., Lebdi Grissa, K., Tixier, M.-S., Chermiti, B. and Dali, M. (2002) Plant inhabiting mites (Acari: Prostigmata & Mesostigmata) of some Northern Tunisian crops. Acarologia, 42: 389–402.
- Kreiter, S., Tixier, M.-S., Sahraoui, H., Lebdi-Grissa, K.C., Chatti, S.B., Chermiti, A., Khoualdia, B., Ksantini, O. and M. (2010) Phytoseiid mites (Acari: Mesostigmata) from Tunisia: catalogue, biogeography, and key for identification. Tunisian Journal of Plant Protection, 5: 151–178.
- McMurtry, J.A. (1977) Some predaceous mites (Phytoseiidae) on citrus in the Mediterranean region. Entomophaga, 22: 19–30.
- McMurtry, J.A. and Bounfour, M. (1989) Phytoseiid mites of Morocco, with descriptions of two new species and notes on the genera *Kuzinellus*, *Thyphloctonus* and *Typhlodromus* (Acari: Phytoseiidae). Acarologia, 30: 13–24.
- McMurtry, J.A., Oatman, E.R., Phillips, P.A. and Wood, C.W. (1978) Establishment of *Phytoseiulus persimilis* (Acari Phytoseiidae) in southern California. Entomophaga, 23: 175–179.
- Muñoz, M., J.L. and Berrío, A.R. (2014) Ácaros asociados al cultivo del aguacate (*Persea americana* Mill) en la costa central de Perú. Agronomía Costarricense, 38: 215–221.
- Ohno, S., Gotoh, T., Miyagi, A., Ganaha-Kikumura, T., Kurima, M., Kijima, K. and Ooishi, T. (2012) Geographic distribution of phytoseiid mite species (Acari: Phytoseiidae) on crops in Okinawa, a subtropical area of Japan. Entomological Science, 15: 115–120.
- Papadoulis, G.T., Emmanouel, N.G. and Kapaxidi, E.V. (2009) Phytoseiidae of Greece and Cyprus (Acari:

Mesostigmata). West Bloomfield, Indira Publishing House: 200 p.

Papaioannou-Souliotis, P., Ragusa, S. and Tsolakis, P. (1994) Phytophagous mites and their predators observed on cultivated plants in Greece during 1975-1990. Annales de l'Institut Phytopathologique Benaki, 17: 35–87.

Pereira, N., Ferreira, M.d.A., Sousa, M.E. and Franco, J.C. (2006) Mites, lemon trees and ground cover interactions in Mafra region. IOBC/WPRS Bulletin, 29: 143–150.

Pérez Otero, R., Mansilla Vázquez, P. and Loéz Villarreal, M.J. (2005) Primer inventario de ácaros fitoseídos sobre cultivos hortícolas em la comarca de O Salnés (Pontevendра). Boletin de Sanidad Vegetal Plagas, 31: 343–351.

Quilici, S., Kreiter, S., Ueckermann, E.A. and Vincenot, D. (1997) Predatory mites (Acari) from various crops on Réunion Island. International Journal of Acarology, 23: 283–291.

Quilici, S., Ueckermann, E.A., Kreiter, S. and Vayssieres, J.E. (2000) Phytoseiidae (Acari) of La Réunion Island. Acarologia, 41: 97–108.

Ragusa, S. (1977) Notes on phytoseiid mites in Sicily with a description of a new species of *Typhlodromus* (Acarina: Mesostigmata). Acarologia, 18: 379–392.

Ragusa, S. (1986) A five year study on population fluctuations of phytoseiid mites in a citrus orchard in Sicily. Acarologia, 27: 193–201.

Ragusa, S. (2006) Phytoseiid mites (Parasitiformes Phytoseiidae) of some Epitanissan Islands (Greece). Redia, 89: 1–7.

Ragusa, S. and Ciulla, A.M. (1991) Phytoseiid mites associated with vines in Sicilian vineyards. Schuster, R. and Murphy, P.W., The Acari: Reproduction, development and life history strategies, Chapman & Hall, London: 417–423.

Rambier, A. (1972) Le *Phytoseiulus persimilis* Athias-Henriot dans le Midi de la France. Zeszyty Problemowe Postepow Nauk Rolniczych, 129: 89–91.

Rambier, A. (1974) Relations entre les acariens nuisibles et leurs ennemis naturels. Les organismes auxiliaires en verger de pommiers: 107–109.

Ridland, P.M., Morris, D.S., Williams, D.G. and Tomkins, R.B. (1986) The occurrence of *Phytoseiulus persimilis* Athias-Henriot (Acarina: Phytoseiidae) in an orchard in Victoria. Journal of the Australian Entomological Society, 25: 79–80.

Sahraoui, H., Grissa, K.L., Kreiter, S., Douin, M. and Tixier, M.-S. (2012) Phytoseiid mites (Acari: Mesostigmata) of Tunisian citrus orchards: catalogue, biogeography and key for identification. Acarologia, 52: 433–452.

Sekeroglu, E. and Kazak, C. (1993) First record of *Phytoseiulus persimilis* (Acari: Phytoseiidae) in Turkey. Entomophaga, 38: 343–345.

Swirski, E. and Amitai, S. (1968) Notes on phytoseiid mites (Acarina: Phytoseiidae) of Israel, with a

description of one new species. *Israel Journal of Entomology*, 3: 95–108.

Swirski, E. and Amitai, S. (1984) Notes on phytoseiid mites (Mesostigmata: Phytoseiidae) from the Mediterranean littoral zone of Israel, with a description of a new species of *Typhloctonus*. *Israel Journal of Entomology*, 18: 71–82.

Swirski, E. and Amitai, S. (1997) Annotated list of phytoseiid mites (Mesostigmata: Phytoseiidae) in Israel. *Israel Journal of Entomology*, 31: 21–46.

Swirski, E. and Ragusa, S. (1976) Notes on predacious mites of Greece, with a description of five new species (Mesostigmata: Phytoseiidae). *Phytoparasitica*, 4: 101–122.

Takahashi, F. and Chant, D.A. (1993) Phylogenetic relationships in the genus *Phytoseiulus* Evans (Acari: Phytoseiidae). II. Taxonomic review. *International Journal of Acarology*, 19: 23–37.

Takahashi, F. and Chant, D.A. (1993) Phylogenetic relationships in the genus *Phytoseiulus* Evans (Acari: Phytoseiidae). III. Cladistic analysis. *International Journal of Acarology*, 19: 233–241.

Tixier, M.-S., Allam, L., Douin, M. and Kreiter, S. (2016) Phytoseiidae (Acari: Mesostigmata) of Morocco: new records, descriptions of five new species, re-descriptions of two species, and key for identification. *Zootaxa*, 4067: 501–551.

Tixier, M.S., Kreiter, S., Allam, L., Ouahbi, A. and Hmimina, M.H. (2003) Phytoseiid and tetranychid mites (Acari: Mesostigmata, Prostigmata) of some Moroccan crops. *Acarologia*, 43: 87–96.

Tixier, M.-S., Kreiter, S., Cheval, B., Guichou, S., Auger, P. and Bonafo, R. (2006) Immigration of phytoseiid mites from surrounding uncultivated areas into a newly planted vineyard. *Experimental and Applied Acarology*, 39: 227–242.

Tuovinen, T. (1993) Identification and occurrence of phytoseiid mites (Gamasina: Phytoseiidae) in Finnish apple plantations and their surroundings. *Entomologica Fennica*, 4: 95–114.

Vassiliou, V.A., Kitsis, P.C. and Papadoulis, G.T. (2012) New records of phytoseiid mites (Acari: Phytoseiidae) from Cyprus. *International Journal of Acarology*, 38: 191–196.

Whitney, J. and James, D.G. (1996) The phytoseiid fauna of grapevines in Australia. *International Journal of Acarology*, 22: 279–284.

