

Package ‘mapi’

October 14, 2018

Type Package

Title Mapping Averaged Pairwise Information

Version 1.0.0-62

Date 2018-10-14

Author Sylvain Piry, Thomas Campolunghi, Florent Cestier, Karine Berthier

Maintainer Sylvain Piry <sylvain.piry@inra.fr>

Description Mapping Averaged Pairwise Information (MAPI) is an exploratory method providing graphical representations summarizing the spatial variation of pairwise metrics (eg. distance, similarity coefficient, ...) computed between georeferenced samples. Reference: Piry et al. (2016) <DOI:10.1111/2041-210X.12616>.

License GPL (>= 2)

Imports Rcpp (>= 0.10.0), data.table (>= 1.10), sf (>= 0.5), pbapply (>= 1.3), parallel (>= 3.3), stats (>= 3.1.1)

LinkingTo Rcpp

Depends R (>= 3.3)

Suggests progress (>= 1.0), grDevices, sp (>= 1.3), latticeExtra

Encoding UTF-8

RoxygenNote 6.0.1

R topics documented:

mapi	2
MAPI_CheckData	5
MAPI_EstimateHalfwidth	6
MAPI_GridAuto	7
MAPI_GridHexagonal	8
MAPI_Plot	9
MAPI_RunAuto	10
MAPI_RunOnGrid	12
MAPI_Tails	15
metric	16
samples	17

Description

MAPI is an exploratory method providing graphical representations of the spatial variation of pairwise metrics (eg. distance, similarity coefficient, ...) computed between georeferenced samples.

Principle: As schematically illustrated Figure 1, MAPI relies on spatial joins between a hexagonal grid and a network of georeferenced samples connected by ellipses, i.e. polygons with 32 segments approaching an elliptical shape.

The shape of the ellipses can be controlled through the eccentricity value and the sample locations can be "blurred" by applying an error circle of a given radius on the geographic coordinates. Each elliptical polygon is associated to 1) the value of the pairwise metric computed between the samples it connects and 2) a weight corresponding to the inverse of its area (i.e. larger ellipses have lower weights).

Each cell of the grid receives the weighed mean of the pairwise metric values associated to the ellipses intersecting the cell.




Figure 1: Schematic principle of the MAPI method from Piry et al. 2016.

Input data: The analysis requires two tables (data.frame or data.table):

1) Information on samples: table with three mandatory columns and column names: 'ind' (sample name), 'x' and 'y' (projected coordinates). An optional column 'errRad' (radius of error circle on sample coordinates) can be provided.

MAPI requires cartesian coordinates (ie. projected, such as UTM or Lambert) NOT [yet?] angular coordinates (eg. latitude/longitude). The package `sf` provides the `st_transform` function for coordinates transformation and projection. GIS software such as QGIS can also help with datum transformation.

Example of 'samples' data:

```
ind      x      y      errRad
```

1	2_42	12000	5000	10
2	2_47	17000	5000	10
3	1_82	2000	9000	10
4	2_100	20000	10000	10
5	2_87	17000	9000	10
6	1_11	1000	2000	10
...

2) Values of the pairwise metric computed between samples provided, either, as a complete matrix with the same number of columns and rows (column and row names must match the sample names provided in the 'samples' data) or as a table with three mandatory columns and column names: 'ind1', 'ind2' (sample names) and 'value' (pairwise metric values).

Example of 'metric' data:

	ind1	ind2	value
1	1_1	1_2	0.055556
2	1_1	1_3	0.020833
3	1_1	1_4	0.125000
4	1_1	1_5	0.125000
5	1_1	1_6	0.020833
6	1_1	1_7	0.090278
...

Try it: Using the test dataset ('samples' and 'metric') included in the package, let's run an (almost) automatic MAPI analysis

Test data result from population genetic simulations in which two panmictic populations are separated by a barrier to dispersal. As we use dummy coordinates, there is no appropriate crs, so we just use 'crs=3857' (a pseudo-mercator projection). Of course, in this case, sample position on earth is meaningless. For a real dataset, 'crs' must be the EPSG code of the projection of your cartesian coordinates.

```
# Load the package
library(mapi)

# Load 'samples' data
data("samples")

# Load 'metric' data. For our simulated data set the pairwise metric
# computed between samples is the individual genetic distance  $\hat{a}$  of Rousset (2000).
data("metric")

# Run MAPI the lazy way (automatic) with 1000 permutations
# for detection of significant (dis)continuous areas.
# As crs must be set, we go with crs=3857 even if we use dummy coordinates.
# Of course, this have no geographical meaning.
# As we have a regular sampling, we use beta=0.5
my.results <- MAPI_RunAuto(samples, metric, crs=3857, beta=0.5, nbPermut=1000)
```

```
# Get significant areas with a FDR control at alpha=0.05 (5%, by default)
my.tails <- MAPI_Tails(my.results, alpha=0.05)

# Look at the result Figure 2.
MAPI_Plot(my.results, tails=my.tails)
```

Spatial variation of the genetic distance is represented with a color scale from dark brown (lowest values) to dark blue (higher value). The central blue area identified as a significant area of discontinuity corresponds to the position of the simulated barrier. Note that due to the permutation procedure, delineation of the significant areas may vary slightly among runs.




Figure 2: MAPI graphical Output produced using the MAPI-Plot function.

To go deeper: `MAPI_RunAuto` is a wrapper which calls three other functions: `MAPI_CheckData`, `MAPI_GridAuto` and `MAPI_RunOnGrid`. `MAPI_GridAuto` is itself another wrapper around `MAPI_EstimateHalfwidth` and `MAPI_GridHexagonal`. Typically, a "manual" MAPI analysis will involve the following ordered steps:

1. `MAPI_CheckData`
2. `MAPI_EstimateHalfwidth`
3. `MAPI_GridHexagonal`
4. `MAPI_RunOnGrid`
5. `MAPI_Tails`
6. `MAPI_Plot`

Within this general framework, you may, for example:

- set your own value for 'halfwidth' (ignore step 2)
- use your own grid, or reuse one from another run (ignore steps 2 & 3)
- tweak some MAPI parameters (such as `dMin` or `dMax` for filtering on geographic distances between samples)
- discard poorly supported cells prior detecting significant areas of (dis)continuity (parameter `minQ`) and/or change significance level (parameter `alpha` in `MAPI_Tails`)
- build your MAPI maps with a GIS software (ignore step 6). See 'Export results' section below

Export results: Output tables (weighted mean of the pairwise metric within cell and polygons delineating significant areas of (dis)continuity) are spatial objects built using the package **sf**. Refer to **sf** documentation to export MAPI results in various format. Below is an example of how MAPI results can be exported as ESRI Shapefiles:

```
library(sf)
# Export results for our test dataset
st_write(my.results, dsn=".", layer="myFirstMapiResult",
         driver="ESRI Shapefile", update=TRUE, delete_layer=TRUE)
st_write(my.tails, dsn=".", layer="myFirstMapiResultTails",
         driver="ESRI Shapefile", update=TRUE, delete_layer=TRUE)
```

You may now open these files ‘myFirstMapiResult.shp’ and ‘myFirstMapiResultTails.shp’ in a GIS software such as QGIS and customize the layout.

Overlaying MAPI results with landscape layouts can help in analysing the relationship between environmental features and spatial genetic patterns (eg. Piry & al., 2016; Piry & al., 2018).

References

Description of the MAPI method:

Piry, S., Chapuis, M.-P., Gauffre, B., Papaïx, J., Cruaud, A., and Berthier, K. (2016). Mapping Averaged Pairwise Information (MAPI): a new exploratory tool to uncover spatial structure. *Methods in Ecology and Evolution* 7:(12), 1463–1475. doi: [10.1111/2041-210X.12616](https://doi.org/10.1111/2041-210X.12616)

Application of MAPI in Landscape Genetics:

Piry, S., Berthier, K., Streiff, R., Cros-Arteil, S., Tatin, L., Foucart, A., Bröder, L., Hochkirch, A., and Chapuis, M.-P. (2018). Fine-scale interactions between habitat quality and genetic variation suggest an impact of grazing on the critically endangered Crau Plain grasshopper (Pamphagidae: *Prionotropis rhodanica*). *Journal of Orthoptera Research* 27, 61–73. doi: [10.3897/jor.27.15036](https://doi.org/10.3897/jor.27.15036)

MAPI_CheckData

Function MAPI_CheckData

Description

Check the validity of the ‘samples’ and ‘metric’ data loaded.

Missing data are removed from ‘metric’, samples with missing coordinates are removed and samples that are not present in both dataset (‘samples’ and ‘metric’) are discarded.

Usage

```
MAPI_CheckData(samples, metric, isMatrix = (class(metric) == "matrix" &&
      nrow(metric) == ncol(metric)))
```

Arguments

<code>samples</code>	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
<code>metric</code>	a data.frame or a square matrix with the pairwise metric computed for all pairs of samples. If data.frame, column names must be: 'ind1', 'ind2', 'value'. If matrix, sample names must be the row- and column names.
<code>isMatrix</code>	Boolean. Depends on the 'metric' data: TRUE if 'metric' is a square matrix with column names = row names and standing for sample names. FALSE if 'metric' is a three columns data.frame ('ind1', 'ind2', 'value'). The default value is determined using a "matrix" class detection for 'metric' as well as identity between row and column number.

Value

a list of two data.table objects corresponding to 'samples' and 'metric' after cleaning.

Examples

```
data("samples")
data("metric")
clean.list <- MAPI_CheckData(samples, metric)
checked.samples <- clean.list[[1]]
checked.metric <- clean.list[[2]]
```

MAPI_EstimateHalfwidth

Function MAPI_EstimateHalfwidth

Description

This function computes the side length (= halfwidth) of the hexagonal cells. Halfwidth value can be further used to build a MAPI grid.

Usage

```
MAPI_EstimateHalfwidth(samples, crs, beta = 0.25)
```

Arguments

<code>samples</code>	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
----------------------	---

crs	coordinate reference system: integer with the EPSG code, or character with proj4string. The coordinates system must be a projection, not latitude/longitude.
beta	A value depending on spatial regularity of sampling: 0.5 for regular sampling, 0.25 for random sampling (Hengl, 2006).

Details

$h_w = \frac{\beta \sqrt{A/N}}{\sqrt{2.5980}}$, where A is the study area (convex hull of sampling points) and N the number of samples. Parameter beta allows to respect the Nyquist-Shannon sampling theorem depending on sampling regularity.

Value

halfwidth cell value (side length of hexagonal cells).

References

Hengl, T. (2006) Finding the right pixel size. *Computers & Geosciences*, 32, 1283–1298.

Examples

```
data(samples)
# Computes hexagonal cell halfwidth for the 'samples' dataset using beta=0.5
hw <- MAPI_EstimateHalfwidth(samples, beta=0.5)
```

MAPI_GridAuto	<i>Function MAPI_GridAuto</i>
---------------	-------------------------------

Description

Wrapper that computes cell halfwidth for a given beta value, and then builds a grid of hexagonal cells (call to [MAPI_GridHexagonal](#)).

Usage

```
MAPI_GridAuto(samples, crs, beta = 0.25, buf = 0)
```

Arguments

samples	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
crs	coordinate reference system: integer with the EPSG code, or character with proj4string. When using dummy coordinates (eg. simulation output) you may use EPSG:3857 (pseudo-Mercator) for example. This allows computation but, of course, has no geographical meaning.

beta	A value depending on sampling regularity: 0.5 for regular sampling, 0.25 for random sampling (Hengl, 2006).
buf	optional. This parameter allows to expand or shrink the grid by a number of units in the same reference system as the sample geographical coordinates (0 by default).

Details

The halfwidth cell value used to build the grid is computed as $h_w = \frac{\beta\sqrt{A/N}}{\sqrt{2.5980}}$, where A is the study area (convex hull of sampling points) and N the number of samples. Parameter beta allows to respect the Nyquist-Shannon sampling theorem depending on sampling regularity (call to [MAPI_EstimateHalfwidth](#)).

Value

a spatial object of class 'sf' including the x and y coordinates of cell centers, cell geometry (polygons) and cell id (gid).

Examples

```
data("samples")
grid <- MAPI_GridAuto(samples, crs=3857, beta=0.5)
```

MAPI_GridHexagonal *Function MAPI_GridHexagonal*

Description

Build a grid of hexagonal cells according to samples coordinates and a given halfwidth cell value provided by users (can be computed using [MAPI_EstimateHalfwidth](#)).

Usage

```
MAPI_GridHexagonal(samples, crs, hw, buf = 0, shift = FALSE)
```

Arguments

samples	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
crs	coordinate reference system: integer with the EPSG code, or character with proj4string. When using dummy coordinates (eg. simulation output) you may use EPSG:3857 for example. This allows computation but, of course, has no geographical meaning.
hw	Halfwidth : side length of hexagonal cells.

buf	optional. This parameter allows to expand or shrink the grid by a number of units in the same reference system as the sample geographical coordinates (0 by default).
shift	boolean, use default FALSE value. DEPRECATED. This parameter has been added for the sake of compatibility with previous PostgreSQL MAPI extension.

Value

a spatial object of class 'sf' including the x and y coordinates of cell centers, cell geometry (polygons) and cell id (gid).

Examples

```
data("samples")
# Builds a grid of hexagonal cells according to samples coordinates (columns x and y)
# using the EPSG:3857 projection and an halfwidth cell value of hw=250m.
grid <- MAPI_GridHexagonal(samples, crs=3857, hw=250)
```

MAPI_Plot

Function MAPI_Plot

Description

Plot a MAPI analysis result

Usage

```
MAPI_Plot(resu, tails = NULL, samples = NULL, pal = c("#994000",
"#CC5800", "#FF8F33", "#FFAD66", "#FFCA99", "#FFE6CC", "#FBFBFB", "#CCDFDF",
"#99F8FF", "#66F0FF", "#33E4FF", "#00AACCC", "#007A99"), shades = 20,
main = NA, upper = TRUE, lower = TRUE, upper.border = "black",
lower.border = "gray")
```

Arguments

resu	A spatial object of class 'sf' resulting from a MAPI analysis done using MAPI_RunAuto or MAPI_RunOnGrid .
tails	An optional spatial object of class 'sf' resulting from the post-process with MAPI_Tails of a MAPI analysis result. Default = NULL (no tails shown).
samples	A data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
pal	A color ramp, eg. from RColorBrewer (default: orange > light gray > blue)
shades	Number of breaks for the color ramp (default 20)

main	Plot title (none by default)
upper	If TRUE and tails is not NULL, upper-tail significant areas are plotted. TRUE by default.
lower	If TRUE and tails is not NULL, lower-tail significant areas are plotted. TRUE by default.
upper.border	Border color of the upper-tail significant area. "black" by default.
lower.border	Border color of the lower-tail significant area. "gray" by default.

Value

Returns the "trellis" object.

Examples

```
## Not run:
data("metric")
data("samples")
resu <- MAPI_RunAuto(samples, metric, crs=3857, nbPermut = 1000)
tails <- MAPI_Tails(resu)
pl <- MAPI_Plot(resu, tails=tails, samples=samples)
# Open png driver
png("mapiPlotOutput.png", width=1000, type="cairo-png")
print(pl) # Do plot in file
dev.off() # Close driver

## End(Not run)
```

MAPI_RunAuto

Function MAPI_RunAuto

Description

This function is a wrapper allowing to run a complete MAPI analysis.

Usage

```
MAPI_RunAuto(samples, metric, crs, isMatrix = (class(metric) == "matrix" &&
  nrow(metric) == ncol(metric)), beta = 0.25, ecc = 0.975, buf = 0,
  errRad = 10, nbPermut = 0, dMin = 0, dMax = Inf,
  nbCores = ifelse(requireNamespace("parallel", quietly = TRUE),
  parallel::detectCores() - 1, 1), N = 8)
```

Arguments

samples	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
metric	a data.frame or a square matrix with the pairwise metric computed for all pairs of samples. If data.frame, column names must be: 'ind1', 'ind2', 'value'. If matrix, sample names must be the row- and column names.
crs	coordinate reference system: integer with the EPSG code, or character with proj4string. When using dummy coordinates (eg. simulation output) you may use EPSG:3857 for example. This allows computation but, of course, has no geographical meaning.
isMatrix	Boolean. Depends on the 'metric' data: TRUE if 'metric' is a square matrix with column names = row names and standing for sample names. FALSE if 'metric' is a three columns data.frame ('ind1', 'ind2', 'value'). The default value is determined using a "matrix" class detection for 'metric' as well as identity between row and column number.
beta	A value depending on spatial regularity of sampling: 0.5 for regular sampling, 0.25 for random sampling (Hengl, 2006).
ecc	ellipse eccentricity value (0.975 by default).
buf	optional. This parameter allows to expand or shrink the grid by a number of units in the same reference system as the sample geographical coordinates (0 by default).
errRad	global error radius for sample locations (same radius for all samples, 10 by default). Units are in the same reference system as the sample geographical coordinates. To use different error radius values for sample locations, add a column 'errRad' in the 'sample' data (see mapI).
nbPermut	number of permutations of sample locations (0 by default).
dMin	minimum distance between individuals. 0 by default.
dMax	maximal distance between individuals. +Inf by default.
nbCores	number of CPU cores you want to use during parallel computation. The default value is estimated as the number of available cores minus 1, suitable for a personal computer. On a cluster you might have to set it to a reasonable value (eg. 8) in order to keep resources for other tasks.
N	number of points used per quarter of ellipse, 8 by default. Don't change it unless you really know what you are doing.

Details

Following functions are called by MAPI_RunAuto in following order: - [MAPI_CheckData](#) cleans the dataset; - [MAPI_GridAuto](#) generates a grid of hexagons by calling [MAPI_EstimateHalfwidth](#) then [MAPI_GridHexagonal](#); - [MAPI_RunOnGrid](#) performs the MAPI analysis.

NOTE: The call to [MAPI_Tails](#) is not included. It should be done afterwards on the object returned by MAPI_RunAuto.

Value

a spatial object of class 'sf' providing for each cell:

- gid: Cell ID
- x and y coordinates of cell center
- nb_ell: number of ellipses used to compute the weighted mean
- avg_value: weighted mean of the pairwise metric
- sum_wgts: sum of weights of ellipses used to compute the weighted mean
- w_stdev: weighted standard deviation of the pairwise metric
- swQ: centile of the sum of weights
- geometry

When permutations are performed:

- permuts: list of the weighted mean values obtained from all permutations
- proba: proportion of the permuted weighted means below the observed weighted mean
- ltP: lower-tail p-value adjusted using the FDR procedure of Benjamini and Yekutieli
- utP: upper-tail p-value adjusted using the FDR procedure of Benjamini and Yekutieli

References

Benjamini, Y. & Yekutieli, D. (2001) The control of the false discovery rate in multiple testing under dependency. *Annals of Statistics*, 29, 1165–1188.

Examples

```
## Not run:
data("metric")
data("samples")
# Run a MAPI analysis without permutation
my.results <- MAPI_RunAuto(samples, metric, crs=3857, beta=0.5, nbPermute=0)

# eg. Export results to shapefile "myFirstMapiResult" in current directory
# to further visualize and customize the MAPI plot in SIG software.
library(sf)
st_write(my.results, dsn=".", layer="myFirstMapiResult", driver="ESRI Shapefile")

## End(Not run)
```

MAPI_RunOnGrid

Function MAPI_RunOnGrid

Description

Launch a MAPI analysis for a given grid computed with [MAPI_GridAuto](#) or [MAPI_GridHexagonal](#) or provided by users.

Usage

```
MAPI_RunOnGrid(samples, metric, grid, isMatrix = FALSE, ecc = 0.975,
  errRad = 10, nbPermut = 0, dMin = 0, dMax = Inf,
  nbCores = ifelse(requireNamespace("parallel", quietly = TRUE),
  parallel::detectCores() - 1, 1), N = 8)
```

Arguments

<code>samples</code>	a data.frame with names and geographical coordinates of samples. Column names must be: 'ind', 'x', 'y'. Optional column 'errRad' with an error radius for sample locations (eg. GPS uncertainty). Coordinates must be projected (not latitude/longitude).
<code>metric</code>	a data.frame or a square matrix with the pairwise metric computed for all pairs of samples. If data.frame, column names must be: 'ind1', 'ind2', 'value'. If matrix, sample names must be the row- and column names.
<code>grid</code>	a spatial object of class 'sf' with the geometry of each cell. When using your own grid, please check that the object structure is the same as returned by MAPI_GridAuto or MAPI_GridHexagonal .
<code>isMatrix</code>	Boolean. Depends on the 'metric' data: TRUE if 'metric' is a square matrix with column names = row names and standing for sample names. FALSE if 'metric' is a three columns data.frame ('ind1', 'ind2', 'value'). The default value is determined using a "matrix" class detection for metric as well as identity between row and column number.
<code>ecc</code>	ellipse eccentricity value (0.975 by default).
<code>errRad</code>	global error radius for sample locations (same radius for all samples, 10 by default). Units are in the same reference system as the sample geographical coordinates. To use different error radius values for sample locations, add a column 'errRad' in the 'sample' data (see mapi).
<code>nbPermut</code>	number of permutations of sample locations (0 by default).
<code>dMin</code>	minimum distance between individuals. 0 by default.
<code>dMax</code>	maximal distance between individuals. +Inf by default.
<code>nbCores</code>	number of CPU cores you want to use during parallel computation. The default value is estimated as the number of available cores minus 1, suitable for a personal computer. On a cluster you might have to set it to a reasonable value (eg. 8) in order to keep resources for other tasks.
<code>N</code>	number of points used per quarter of ellipse, 8 by default. Don't change it unless you really know what you are doing.

Details

To test whether the pairwise metric values associated with the ellipses are independent of the sample locations, those are permuted 'nbPermut' times. At each permutation, new cell values are computed and stored to build a cumulative null distribution for each cell of the grid. Each cell value from the observed data set is then ranked against its null distribution. For each cell, the proportion

of permuted values that are smaller or greater than the observed value provides a lower-tailed (ltP) and upper-tailed (utP) test p-value.

A false discovery rate (FDR) procedure (Benjamini and Yekutieli, 2001) is applied to account for multiple testing (number of cells) under positive dependency conditions (spatial autocorrelation). An adjusted p-value is computed for each cell using the function `p.adjust` from the 'stats' package with the method 'BY'.

Value

a spatial object of class 'sf' providing for each cell:

- gid: Cell ID
- x and y coordinates of cell center
- nb_ell: number of ellipses used to compute the weighted mean
- avg_value: weighted mean of the pairwise metric
- sum_wgts: sum of weights of ellipses used to compute the weighted mean
- w_stdev: weighted standard deviation of the pairwise metric
- swQ: centile of the sum of weights
- geometry

When permutations are performed:

- permuts: list of the weighted mean values obtained from all permutations
- proba: proportion of the permuted weighted means below the observed weighted mean
- ltP: lower-tail p-value adjusted using the FDR procedure of Benjamini and Yekutieli
- utP: upper-tail p-value adjusted using the FDR procedure of Benjamini and Yekutieli

References

Benjamini, Y. and Yekutieli, D. (2001). The control of the false discovery rate in multiple testing under dependency. *Annals of Statistics* 29, 1165–1188.

Examples

```
## Not run:
data(metric)
data(samples)
my.grid <- MAPI_GridHexagonal(samples, crs=3857, 500) # 500m halfwidth

# Note: 10 permutations is only for test purpose, increase to >=1000 in real life!
my.results <- MAPI_RunOnGrid(samples, metric, grid=my.grid, nbPermut=10, nbCores=1)

# eg. Export results to shapefile "myFirstMapiResult" in current directory
library(sf)
st_write(my.results, dsn=".", layer="myFirstMapiResult", driver="ESRI Shapefile")

## End(Not run)
```

`MAPI_Tails`*Function MAPI_Tails*

Description

Determine significant continuous and discontinuous areas from the result of a MAPI analysis when run with permutations.

Usage

```
MAPI_Tails(resu, minQ = 0, alpha = 0.05)
```

Arguments

<code>resu</code>	A spatial object of class 'sf' resulting from a MAPI analysis done using either MAPI_RunAuto or MAPI_RunOnGrid .
<code>minQ</code>	Threshold under which cells with the smallest sum-of-weights centile (range 1 .. 100) are discarded (default value = 0). This parameter allows to discard cells for which the average value of the pairwise metric is computed using either a small number and/or only long-distance ellipses.
<code>alpha</code>	Significance level (default=0.05)

Details

When permutations are performed, in [MAPI_RunOnGrid](#) for each cell, the proportion of permuted values that are smaller or greater than the observed value provides a lower-tailed (lTP) and upper-tailed (uTP) test p-value. A false discovery rate (FDR) procedure (Benjamini and Yekutieli, 2001) is applied to account for multiple testing (number of cells) under positive dependency conditions (spatial autocorrelation). An adjusted p-value is computed for each cell using the function `p.adjust` from the 'stats' package with the method 'BY'. The significance level at which FDR is controlled is set through the parameter `alpha`. For example, when `alpha` is set to 0.05, this means that 5% of the cells detected as significant can be false positives.

Significant cells belonging to the lower (or upper) tail that are spatially connected are aggregated together to form the significant areas with the lowest (or greater) average values of the pairwise metric analysed.

Value

a spatial object of class 'sf' with the area and geometry of the polygons delineating the significant areas. A column provides the tail for each polygon (upper or lower).

References

Benjamini, Y. and Yekutieli, D. (2001). The control of the false discovery rate in multiple testing under dependency. *Annals of Statistics* 29, 1165–1188.

Examples

```
## Not run:
data("metric")
data("samples")
# Run MAPI computation
resu <- MAPI_RunAuto(samples, metric, crs=3857, nbPermut=1000)
# Discards the 10% cells with the smallest sum-of-weights
#   and aggregates adjacent cells belonging to the same tail
#   at a 5% significance level
tails <- MAPI_Tails(resu, minQ=10, alpha=0.05)

## End(Not run)
```

metric

'metric' test dataset

Description

The individuals were simulated as described in the [samples](#) section. The value is a genetic distance (\hat{a} estimator in Rousset, 2000) computed between the 200 simulated samples using SPAGeDi v1.4 (Hardy & Vekemans, 2002).

Usage

```
data("metric")
```

Value

A data.table object with 19900 rows (one per sample pair, un-symmetrized) and 3 columns ("ind1", "ind2", "value") containing respectively the first sample name, the second sample name and the value of their relation.

References

Rousset, F. (2000). Genetic differentiation between individuals. *Journal of Evolutionary Biology*, 13:58–62.

Hardy OJ, Vekemans X (2002) SPAGeDi: a versatile computer program to analyse spatial genetic structure at the individual or population levels. *Molecular Ecology Notes* 2: 618-620.

Examples

```
data("metric")
```

samples	<i>'samples' test dataset</i>
---------	-------------------------------

Description

Test dataset provided with the MAPI package. We used generation-by-generation coalescent algorithms (Hudson et al., 1990) to simulate 10 microsatellite genotypes at migration-mutation-drift equilibrium for 200 diploid individuals, distributed on the nodes of a 20x10 lattice.

Mutations for each locus followed a symmetric generalized stepwise model with a variance equal to 0.36 (Estoup et al., 2001) and a maximum range of allelic states of 40. The mutation rate was fixed so that heterozygosity ranged from 0.6 to 0.8 as frequently observed at microsatellite markers (Chapuis et al., 2012).

Two panmictic populations are separated by a barrier. We used Simcoal2 (Laval and Excoffier, 2004) to generate two panmictic populations of equal effective size $N_e = 100$ and exchanging $N_e m = 0.1$ migrants at each generation. The barrier to gene flow bisected the lattice from north to south in its center.

The differentiation values computed between these samples is described in the [metric](#) section.

Usage

```
data("samples")
```

Value

A data.table object with 200 simulated individuals (one per row) and 4 columns ("ind", "x", "y", "errRad") including the sample names, coordinates x and y and an error circle radius on coordinates.

References

- Chapuis, M.-P., Streiff, R., and Sword, G. (2012). Long microsatellites and unusually high levels of genetic diversity in the orthoptera. *Insect Molecular Biology*, 21(2):181–186.
- Estoup, A., Wilson, I. J., Sullivan, C., Cornuet, J.-M., and Moritz, C. (2001). Inferring population history from microsatellite and enzyme data in serially introduced cane toads, *Bufo marinus*. *Genetics*, 159(4):1671–1687.
- Hudson, R. R. et al. (1990). Gene genealogies and the coalescent process. *Oxford Surveys in Evolutionary Biology*, 7(1):44.
- Laval, G. and Excoffier, L. (2004). SIMCOAL 2.0: a program to simulate genomic diversity over large recombining regions in a subdivided population with a complex history. *Bioinformatics*, 20(15):2485–2487.

Examples

```
data("samples")
```

Index

`mapi`, [2](#), [11](#), [13](#)
`mapi-package (mapi)`, [2](#)
`MAPI_CheckData`, [4](#), [5](#), [11](#)
`MAPI_EstimateHalfwidth`, [4](#), [6](#), [8](#), [11](#)
`MAPI_GridAuto`, [4](#), [7](#), [11–13](#)
`MAPI_GridHexagonal`, [4](#), [7](#), [8](#), [11–13](#)
`MAPI_Plot`, [4](#), [9](#)
`MAPI_RunAuto`, [4](#), [9](#), [10](#), [15](#)
`MAPI_RunOnGrid`, [4](#), [9](#), [11](#), [12](#), [15](#)
`MAPI_Tails`, [4](#), [9](#), [11](#), [15](#)
`metric`, [16](#), [17](#)

`samples`, [16](#), [17](#)